



REVISIONS	
REV	DESCRIPTION
-	DWG INITIATED CO-009885

MATERIAL NOTES UNLESS OTHERWISE SPECIFIED

1. ONLY THE ITEM DESCRIBED ON THIS DRAWING WHEN PROCURED FROM THE VENDOR(S) LISTED HEREON IS APPROVED BY M/A-COM FOR USE IN THE APPLICATION(S) SPECIFIED HEREON. A SUBSTITUTE ITEM SHALL NOT BE USED WITHOUT PRIOR APPROVAL BY M/A-COM.
2. IDENTIFICATION OF THE "APPROVED SOURCE(S)" OF SUPPLY HEREON IS NOT TO BE CONSTRUED AS A GUARANTEE OF PRESENT OR CONTINUED AVAILABILITY ON THE DRAWING.
3. BOARD WARPAGE: 0.254MM PER LINEAR MM MAX
4. HOLE SIZES DRAWN ARE DRILL SIZE - FINISHED HOLE SIZE NOT CRITICAL
4. PLATE THRU HOLES WITH COPPER MINIMUM 35UM THICKNESS
4. HOLE SIZE TOLERANCE +/- 0.0762MM
4. ALL HOLES TO BE LOCATED WITHIN +/- 0.0762MM TRUE POSITION IN RELATION TO PAD
4. FRONT TO BACK REGISTRATION: +/- 0.0762MM
5. MATERIAL: ROGERS RO/4350B, ER= 3.66, 0.254MM (10ML) SEE LAYER INFORMATION BELOW
6. LAYER INFORMATION
 - DRILL HOLES THRU ALL
 - 40UM COPPER, FINISH: PLATE OF 0.05-0.15um IMMERSION GOLD OVER 0.1-0.2um IMMERSION SILVER
 - RO4350B 0.254MM
 - 40UM COPPER, FINISH: PLATE OF 0.05-0.15um IMMERSION GOLD OVER 0.1-0.2um IMMERSION SILVER
7. RFN RFOUT LINES TO BE 50 OHM +/-3 OHM IMPEDANCE
8. DIMENSIONS: MM [INCHES]

HOLE TABLE			
REF.	DIA.	TOL.	QTY. PLATE
H1	0.2mm	±0.15	36 PTH
H2	0.3mm	±0.15	347 PTH
H3	2mm	±0.15	4 PTH
H4	2.42mm	±0.15	4 NPTH



UNLESS OTHERWISE SPECIFIED INTERPRET DRAWING PERMITS DIMENSIONS ARE IN INCHES		TOLERANCES ON		TITLE	
NOTE: THIS DRAWING INCORPORATES THIRD ANGLE PROJECTION		DECIMALS	ANGLES	Printed Board, Eval, 4x4 QFN	
M/A-COM Technology Solutions, Inc. CONFIDENTIAL INFORMATION SUBJECT TO NDA		X ± .1 .XXX ± .005 .XXXX ± .0005	±0.5°	MAAM-011139	
UNLESS OTHERWISE SPECIFIED 63/ ALL OVER		MATERIAL		SIZE	
See Notes		See Notes		CAGE CODE	
See Notes		See Notes		DRAWING NO.	
SCALE: X/X		WEIGHT /		SHEET 1 OF 1	

MacOM TM MACOM Technology Solutions, Inc.
100 Chelmsford Street
Lowell, MA 01851