MACP-007486-CH0010



17 dB Coupler 5 - 1000 MHz


Rev. V3

Features


- 17 dB Coupler
- Surface Mount Package
- · Available on Tape and Reel
- 260° Reflow Compatible
- RoHS Compliant version of ESDC-17-3-75

Description

The MACP-007486 is a 17 dB coupler in a surface mount package. Ideally suited for CATV broadband applications.



Functional Schematic



Pin Configuration

Pin#	Function	Pin#	Function
1	Output	4	Coupled
2	Not Connected	5	Ground
3	External 75 Ω	6	Input

Electrical Specifications: Freq. = 5 - 1000 MHz, $T_A = 25^{\circ}C$, $Z_0 = 75 \Omega$, $P_{IN} = 0 \text{ dBm}$

Parameter	Freq. Test Conditions (MHz)	Units	Min.	Тур.	Max.
Coupling	5 - 1000 dB		16	17	_
Coupling Flatness	5 - 1000	dB	_	_	0.8
Main Line Loss	5 - 50 50 - 500 500 - 1000	dB	_	0.6 0.6 0.7	1.3 1.1 1.2
Directivity	5 - 50 50 - 500 500 - 1000	dB	18 12 8	22 21 15	_
Input Return Loss	5 - 1000	dB	15	20	_
Output Return Loss	5 - 1000	dB	15	20	_
Coupling Return Loss	5 - 1000	dB	15	20	_

Ordering Information

Part Number	Package	
MACP-007486-CH0010	900 piece reel	
MACP-007486-CH00TB	customer test board	

Recommended Maximum Ratings

Parameter	Units	
Input Power	250 mW	
DC Current	30 mA	
Operating & Storage Temperature	-20°C to +85°C	

1

MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

Visit www.macom.com for additional data sheets and product information.


MACP-007486-CH0010




17 dB Coupler 5 - 1000 MHz Rev. V3

Typical Performance Curves


Coupling (pin 6 to pin 4)




Main Line Loss (pin 6 to pin 1)




Return Loss Input (pin 6)



Return Loss Output (pin 1)



Return Loss Coupling (pin 4)




Frequency (MHz)



17 dB Coupler 5 - 1000 MHz Rev. V3

Outline Drawing (SM-1) & PCB Footprint



Dimensions in inches [mm] Tolerance: $.xx \pm .02$, $.xxx \pm .010$

Component Package Orientation



Tape & Reel Information

Parameter	Units	Value		
Qty per reel	-	900		
Reel Size	mm	330		
Tape Width	mm	16.00		
Pitch	mm	12.00		
Ao	mm	6.60		
Во	mm	7.30		
Ko	mm	4.90		
Orientation	-	F15		
Reference Application Note ANI-019 for orientation				

MACP-007486-CH0010



17 dB Coupler 5 - 1000 MHz

Rev. V3

MACOM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with MACOM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.

4