MAFL-011078



CATV Diplex Filter 5 - 42 / 54 - 1218 MHz

Rev. V1

Features

- 75 Ω
- Surface Mount Technology
- RoHS* Compliant

Description


The MAFL-011078 is a surface mount diplex filter designed for the CATV applications, DTV, and DBS applications.

Ordering Information¹

Part Number	Package
MAFL-011078	200 piece reel
MAfFL-011078-SB1	Sample Board

^{1.} Reference Application Note M513 for reel size information.

Functional Schematic



Pin Configuration²

Pin#	Function
1 - 6, 8, 10-17, 19, 20	Ground
7	High Pass Port
9	Low Pass Port
18	Common Port

MACOM recommends connecting unused package pins to ground.

Electrical Specifications: +25°C, $Z_0 = 75 \Omega$

Parameter	Frequency Test Conditions (MHz)	Units	Min.	Тур.	Max.
Insertion loss	5 - 42	dB	_	1.0	1.3
	54 - 1218			1.0	1.3
	5 - 42		45	50	
Filter Isolation	42 - 54	dB	26	30	_
	54 - 1218		45	50	
	5 - 42		22	24	
Filter Return Loss (all ports)	54 - 750	dB	22	24	_
	750 - 1218		20	24	
Group Delay	39 - 40.5			10	
	40.5 - 42			17	
	55.25 - 58.83	ns	_	17	_
	61.25 - 64.83			10	
	67.25 - 70.83			6	

1

^{*} Restrictions on Hazardous Substances, European Union Directive 2011/65/EU.




Rev. V1

Absolute Maximum Ratings^{3,4}

Parameter	Absolute Maximum		
RF Power	1000 mW		
DC Current	30 mA		
Operating Temperature	-40°C to +85°C		
Storage Temperature	-20°C to +125°C		

- 3. Exceeding any one or combination of these limits may cause permanent damage to this device.
- MACOM does not recommend sustained operation near these survivability limits.

Recommended PCB Configuration




Dimensions in mm. Tolerance: $.x \pm 0.1$, $.xx \pm 0.05$




Rev. V1


Typical Performance Curves

Input Port Return Loss







High Pass Filter Performance




Filter Isolation



Low Pass port Return Loss



High Pass port Return Loss



3


MACOM Technology Solutions Inc. (MACOM) and its affiliates reserve the right to make changes to the product(s) or information contained herein without notice.

Visit www.macom.com for additional data sheets and product information.



Rev. V1

Outline Drawing




Dimensions in mm. Tolerance: $.x \pm 0.1$, $.xx \pm 0.05$



Rev. V1

Tape & Reel Orientation



Tape & Reel Information

Parameter	Units	Value		
Qty per reel	-	200		
Reel Size	mm	330		
Tape Width	mm	56.00		
Pitch	mm	40.00		
Ao	mm	30.3		
Во	mm	30.3		
Ko	mm	6.4		
Orientation	-	F30		
Reference Application Note ANI-019 for orientation				

MAFL-011078



CATV Diplex Filter 5 - 42 / 54 - 1218 MHz

Rev. V1

MACOM Technology Solutions Inc. All rights reserved.

Information in this document is provided in connection with MACOM Technology Solutions Inc ("MACOM") products. These materials are provided by MACOM as a service to its customers and may be used for informational purposes only. Except as provided in MACOM's Terms and Conditions of Sale for such products or in any separate agreement related to this document, MACOM assumes no liability whatsoever. MACOM assumes no responsibility for errors or omissions in these materials. MACOM may make changes to specifications and product descriptions at any time, without notice. MACOM makes no commitment to update the information and shall have no responsibility whatsoever for conflicts or incompatibilities arising from future changes to its specifications and product descriptions. No license, express or implied, by estoppels or otherwise, to any intellectual property rights is granted by this document.

THESE MATERIALS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, RELATING TO SALE AND/OR USE OF MACOM PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, CONSEQUENTIAL OR INCIDENTAL DAMAGES, MERCHANTABILITY, OR INFRINGEMENT OF ANY PATENT, COPYRIGHT OR OTHER INTELLECTUAL PROPERTY RIGHT. MACOM FURTHER DOES NOT WARRANT THE ACCURACY OR COMPLETENESS OF THE INFORMATION, TEXT, GRAPHICS OR OTHER ITEMS CONTAINED WITHIN THESE MATERIALS. MACOM SHALL NOT BE LIABLE FOR ANY SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, INCLUDING WITHOUT LIMITATION, LOST REVENUES OR LOST PROFITS, WHICH MAY RESULT FROM THE USE OF THESE MATERIALS.

MACOM products are not intended for use in medical, lifesaving or life sustaining applications. MACOM customers using or selling MACOM products for use in such applications do so at their own risk and agree to fully indemnify MACOM for any damages resulting from such improper use or sale.